

### EFJ-445

(standard)

\*Louver dimensions furnished approximately 1/2" (13) undersize.

The EFJ-445 extruded aluminum louver is designed for intake and exhaust application where protection against water infiltration is not critical. The EFJ-445 is well suited for special shape applications and is available with hidden mullions for a continuous blade appearance of multiple section assemblies. The EFJ-445 is available in a wide array of anodized and painted finishes including custom color matching.

## Standard Construction

**Material:** Mill finish 6063-T5 extruded aluminum

**Frame:** 4" deep × 0.081" thick (102 × 2) channel

**Blades:** 45° × 0.081" (2) thick J-style

**Screen:** 1/2" × 0.063" (12.7 × 1.6) expanded and flattened aluminum

**Minimum Size:** 4.5" × 9" (114 × 229)

**Maximum Size:**

Single section: 60" × 120" (1524 × 3048)  
120" × 60" (3048 × 1524)

Multiple section: Unlimited

## Ratings

**Free Area:** [48" × 48" (1219 × 1219) unit]: 8.1 ft<sup>2</sup> (0.75 m<sup>2</sup>)  
50.1%

**Performance @ Beginning Point of Water Penetration**

**Free Area Velocity:** 781 fpm (3.97 m/s)

**Air Volume Delivered:** 6,317 cfm (2.98 m<sup>3</sup>/s)

**Pressure Loss:** 0.10 in.wg. (24 Pa)

**Velocity @ 0.15 in.wg. Pressure Loss:** 971 fpm (4.93 m/s)

**Design Load:** 30 psf

## Options

### ■ Factory finish:

- High Performance Fluoropolymer
- Prime Coat
- Baked Enamel
- Clear Anodize
- Integral Color Anodize

### ■ Frame Options:

- 1-1/2" (38) flange frame
- Stucco flange
- Glazing frame

### ■ Installation Hardware

- Clip angles
- Continuous angles

### ■ Hidden Vertical Mullion

### ■ Heavy duty 0.125" (3) construction

### ■ Welded construction

### ■ Alternate bird or insect screens

### ■ Insulated or non-insulated blank-off panels

### ■ Filter racks

### ■ Hinged frame

### ■ Subframe

### ■ Head and/or sill flashing

### ■ Burglar bars

### ■ Frame closure

### ■ Net OD (actual size)

5 year warranty



### Certified Ratings:

Pottorff certifies that the model EFJ-445 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to air performance and water penetration ratings.

**NOTE:** Dimensions in parentheses ( ) are millimeters.  
Information is subject to change without notice or obligation.

# PERFORMANCE

## EFJ-445

Extruded Aluminum Louver  
4" deep • 45° J-Blade

### Free Area (ft<sup>2</sup>)


Width (Inches)

	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
12	0.3	0.5	0.6	0.8	1.0	1.2	1.3	1.5	1.7	1.9	2.0	2.2	2.4	2.6	2.7	2.9	3.1	3.3	3.4
18	0.5	0.8	1.1	1.4	1.7	2.0	2.3	2.6	2.9	3.2	3.5	3.8	4.2	4.5	4.8	5.1	5.4	5.7	6.0
24	0.7	1.2	1.6	2.0	2.5	2.9	3.3	3.7	4.2	4.6	5.0	5.5	5.9	6.3	6.8	7.2	7.6	8.1	8.5
30	1.0	1.7	2.3	2.9	3.6	4.2	4.8	5.4	6.1	6.7	7.3	7.9	8.6	9.2	9.8	10.4	11.1	11.7	12.3
36	1.3	2.1	2.9	3.7	4.5	5.3	6.1	6.9	7.7	8.5	9.2	10.0	10.8	11.6	12.4	13.2	14.0	14.8	15.6
42	1.6	2.5	3.5	4.4	5.4	6.3	7.3	8.2	9.2	10.1	11.0	12.0	12.9	13.9	14.8	15.8	16.7	17.7	18.6
48	1.8	2.9	3.9	5.0	6.1	7.2	8.1	9.3	10.4	11.5	12.5	13.6	14.7	15.8	16.8	17.9	19.0	20.1	21.1
54	2.0	3.2	4.4	5.6	6.8	8.0	9.2	10.4	11.6	12.8	14.0	15.2	16.5	17.7	18.9	20.1	21.3	22.5	23.7
60	2.3	3.7	5.0	6.4	7.8	9.1	10.5	11.9	13.3	14.6	16.0	17.4	18.7	20.1	21.5	22.8	24.2	25.6	27.0
66	2.6	4.1	5.6	7.2	8.7	10.2	11.8	13.3	14.9	16.4	17.9	19.5	21.0	22.5	24.1	25.6	27.1	28.7	30.2
72	2.8	4.5	6.2	7.9	9.6	11.3	13.1	14.8	16.5	18.2	19.9	21.6	23.3	25.0	26.7	28.4	30.1	31.8	33.5
78	3.1	4.9	6.8	8.6	10.5	12.3	14.2	16.0	17.8	19.7	21.5	23.4	25.2	27.1	28.9	30.8	32.6	34.5	36.3
84	3.3	5.3	7.2	9.2	11.2	13.2	15.1	17.1	19.1	21.1	23.0	25.0	27.0	29.0	30.9	32.9	34.9	36.9	38.8
90	3.5	5.6	7.7	9.8	11.9	14.0	16.1	18.2	20.3	22.4	24.5	26.6	28.7	30.9	33.0	35.1	37.2	39.3	41.4
96	3.8	6.1	8.4	10.6	12.9	15.2	17.5	19.8	22.0	24.3	26.6	28.9	31.2	33.4	35.7	38.0	40.3	42.6	44.9
102	4.1	6.5	9.0	11.4	13.9	16.3	18.8	21.2	23.6	26.1	28.5	31.0	33.4	35.9	38.3	40.8	43.2	45.7	48.1
108	4.4	7.0	9.6	12.2	14.8	17.4	20.0	22.6	25.2	27.9	30.5	33.1	35.7	38.3	40.9	43.5	46.1	48.8	51.4
114	4.6	7.3	10.1	12.8	15.6	18.3	21.1	23.8	26.5	29.3	32.0	34.8	37.5	40.3	43.0	45.8	48.5	51.3	54.0
120	4.8	7.7	10.5	13.4	16.3	19.2	22.0	24.9	27.8	30.7	33.5	36.4	39.3	42.2	45.0	47.9	50.8	53.7	56.5


### Water Penetration

AMCA defines the beginning point of water penetration as the free area velocity at the intersection of a simple linear regression of test data and the line of 0.01 ounces of water per square foot of free area and is measured through a 48" x 48" louver during a 15 minute period. The AMCA water penetration test provides a method for comparing louver models and designs as to their efficiency in resisting the penetration of rainfall under specific lab conditions. We recommend that intake louvers are selected with a reasonable margin of safety below the beginning point of water penetration in order to avoid unwanted penetration during severe storm conditions.

Beginning Point of Water Penetration = 781 fpm



### Pressure Loss




Louver Test Size = 48" x 48" (1219 x 1219)  
Pressure loss tested in accordance with Figure 5.5 of AMCA Standard 500-L. Data corrected to standard air density.

# EFJ-445

Extruded Aluminum Louver  
4" deep • 45° J-Blade

## Attributes



## Supplemental Options

