
ALL-LITE



EAA-845

(standard) *Louver dimensions furnished approximately 1/2" (13) undersize.

Ratings

Free Area: [48" × 48" (1219 × 1219) unit]: 6.1 ft² (0.56 m²) 37.9%

Performance @ Beginning Point of Water Penetration

Free Area Velocity: 649 fpm (3.30 m/s)

Air Volume Delivered: 3,931 cfm (1.86 m³/s)

Pressure Loss: 0.03 in.wg. (8 Pa)

Velocity @ 0.15 in.wg. Pressure Loss: 1,327 fpm (6.99 m/s)

Design Load: 30 psf

Acoustical Performance:

(not certified by AMCA)


Octave Band	2	3	4	5	6	7
Center Freq. (hz)	125	250	500	1000	2000	4000
Transmission Loss	2	2	4	8	9	7
Noise Reduction	8	8	10	14	15	13



Certified Ratings:

All-Lite certifies that the model EAA-845 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to water penetration and air performance.

NOTE: Dimensions in parentheses () are millimeters. Information is subject to change without notice or obligation.



The EAA-845 airfoil blade acoustical louver provides low static pressure loss and reliable noise reduction over a wide range of frequencies. The EAA-845 is available in a wide array of finishes including custom color matching and is ideally suited for intake or exhaust application on standby generator enclosures.

EAA-845

8" deep • 45° Insulated Airfoil Blade

Acoustical Louver

Standard Construction

Material:	Mill finish	6063-T5	extruded	aluminum
-----------	-------------	---------	----------	----------

- Frame: $8" \text{ deep} \times 0.081" \text{ thick } (203 \times 2) \text{ channel}$
- **Blades:** $45^{\circ} \times 0.081^{"}$ (2) thick airfoil style with a 26 ga. (0.55) thick perforated backing packed with noncombustible insulating material.
- Screen: 1/2" × 0.063" (12.7 × 1.6) expanded and flattened aluminum

Mullion: Visible

Minimum Size: 12" × 18" (305 × 457)

Maximum Size:

Single section: 60" × 120" (1524 × 3048) Multiple section: Unlimited

Options

Factory finish:

- High Performance Fluoropolymer
- Baked Enamel
 Prime Coat
- Clear Anodize
 Integral Color Anodize
- Frame Options:
 - 1-1/2" (38) flange frame Custom-size flange
 - Stucco flange
 Glazing frame
- Installation Hardware
 - Clip angles
 Continuous angles
- Alternate bird or insect screens
- Insulated or non-insulated blank-off panels
- Filter racks
- Hinged frame
- Subframe
- Head and/or sill flashing
- Burglar bars
- Frame closure
- Net OD (actual size)



PERFORMANCE

Free Area (ft²)


		Width (Inches)								
	12	18	24	30	36	42	48	54	60	
18	0.3	0.5	0.6	0.8	1.0	1.2	1.3	1.5	1.7	
24	0.5	0.8	1.0	1.3	1.6	1.9	1.9	2.4	2.7	
30	0.6	1.0	1.4	1.8	2.2	2.6	2.7	3.3	3.7	
36	0.8	1.3	1.8	2.3	2.8	3.3	3.4	4.3	4.7	
42	1.0	1.6	2.2	2.8	3.4	4.0	4.1	5.2	5.8	
48	1.3	2.1	2.9	3.7	4.5	5.3	6.1	6.9	7.6	
54	1.5	2.4	3.3	4.2	5.1	6.0	5.6	7.8	8.7	
60	1.7	2.7	3.7	4.7	5.7	6.7	6.3	8.7	9.7	
66	1.8	2.9	4.1	5.2	6.3	7.4	7.0	9.6	10.7	
72	2.0	3.2	4.4	5.6	6.9	8.1	7.8	10.5	11.7	
78	2.3	3.7	5.2	6.6	8.0	9.4	8.5	12.2	13.6	
84	2.5	4.0	5.5	7.1	8.6	10.1	9.2	13.1	14.6	
90	2.7	4.3	5.9	7.5	9.2	10.8	9.9	14.0	15.6	
96	2.9	4.6	6.3	8.0	9.8	11.5	10.7	14.9	16.6	
102	3.0	4.9	6.7	8.5	10.3	12.2	11.4	15.8	17.6	
108	3.4	5.4	7.4	9.4	11.5	13.5	12.1	17.5	19.5	
114	3.5	5.7	7.8	9.9	12.1	14.2	12.9	18.4	20.6	
120	3.7	6.0	8.2	10.4	12.7	14.9	13.6	19.3	21.6	

Height (Inches)

Water Penetration

AMCA defines the beginning point of water penetration as the free area velocity at the intersection of a simple linear regression of test data and the line of 0.01 ounces of water per square foot of free area measured through a 48" x 48" louver during a 15 minute period. The AMCA water penetration test provides a method for comparing louver models and designs as to their efficiency in resisting the penetration of rainfall under specific lab conditions. We recommend that intake louvers are selected with a reasonable margin of safety below the beginning point of water penetration in order to avoid unwanted penetration during severe storm conditions.

Beginning Point of Water Penetration = 649 fpm






Certified Ratings:


All-Lite certifies that the model EAA-845 shown herein is licensed to bear the AMCA seal. The ratings shown are based on test and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to water penetration and air performance.


Pressure Loss




Louver Test Size = 48" x 48" (1219 x 1219) Pressure loss tested in accordance with Figure 5.5 of AMCA Standard 500-L. Data corrected to standard air density.

EAA-845 Acoustical Louver 8" deep • 45° Insulated Airfoil Blade





Horizontal Mullion (standard)




Flange Frame (optional)

Supplemental Options

8"(203)

3/16" (5) to louver depth.



ALL-LITE EAA-845 3 of 3, March, 2023