


# ALL-LITE

## ECV-445

Extruded Aluminum Louver  
4" deep • 45° Vertical Blade



### ECV-445

(standard)

\*Louver dimensions furnished  
approximately 1/2" (13) undersize.

The ECV-445 offers exceptional protection against wind-driven rain under the most severe conditions and is ideally suited for high wind areas or applications that are sensitive to wind-driven rain penetration. The ECV-445 incorporates vertical blades and is available in a wide array of anodized and painted finishes including custom color matching.

## Standard Construction

**Material:** Mill finish 6063-T5 extruded aluminum

**Frame:** 4" deep x 0.081" thick (102 x 2) channel

**Blades:** 45° x 0.060" (1.5) thick vertical style

**Screen:** 1/2" x 0.063" (12.7 x 1.6) expanded and flattened aluminum

**Sill Flashing:** Closed end

**Minimum Size:** 8" x 8" (203 x 203)

**Maximum Size:**

Single section: 60" x 120" (1524 x 3048)  
120" x 60" (3048 x 1524)

Multiple section: Unlimited

## Ratings

**Free Area:** [48" x 48" (1219 x 1219) unit]: 6.9 ft<sup>2</sup> (0.64m<sup>2</sup>)  
42.9%

**Performance @ Beginning Point of Water Penetration**

**Free Area Velocity:** 1,250 fpm (6.35 m/s)

**Air Volume Delivered:** 8,575 cfm (4.05 m<sup>3</sup>/s)

**Pressure Loss:** 0.30 in.wg. (75 Pa)

**Velocity @ 0.15 in.wg. Pressure Loss:** 872 fpm (4.43 m/s)

**Design Load:** 30 psf

## Options

### ■ Factory finish:

- High Performance Fluoropolymer ■ Prime Coat
- Baked Enamel ■ Clear Anodize ■ Integral Color Anodize

### ■ Frame Options:

- 1-1/2" (38) flange frame ■ Custom-size flange
- Stucco flange ■ Glazing frame

### ■ Installation Hardware

- Clip angles ■ Continuous angles

### ■ Alternate bird or insect screens

### ■ Insulated or non-insulated blank-off panels

### ■ Filter racks

### ■ Hinged frame

### ■ Subframe

### ■ Head flashing

### ■ Burglar Bars

### ■ Frame closure

### ■ Net OD (actual size)

5 year  
warranty



### Certified Ratings:

All-Lite certifies that the model ECV-445 shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to water penetration and air performance ratings.

**NOTE:** Dimensions in parentheses ( ) are millimeters.  
Information is subject to change without notice or obligation.

# PERFORMANCE

## ECV-445

Extruded Aluminum Louver  
4" deep • 45° Vertical Blade


### Free Area (ft<sup>2</sup>)

		Width (Inches)																			
		8	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120
Height (Inches)	8	0.04	0.10	0.2	0.3	0.4	0.4	0.5	0.6	0.7	0.8	0.8	0.9	1.0	1.1	1.2	1.2	1.3	1.4	1.5	1.6
	12	0.1	0.2	0.4	0.6	0.7	0.9	1.0	1.2	1.4	1.6	1.7	1.9	2.1	2.2	2.4	2.5	2.7	2.9	3.1	3.2
	18	0.1	0.4	0.7	1.0	1.3	1.5	1.8	2.2	2.5	2.8	3.0	3.3	3.6	4.0	4.3	4.5	4.8	5.1	5.4	5.8
	24	0.2	0.5	1.0	1.4	1.9	2.2	2.6	3.1	3.6	4.0	4.3	4.8	5.2	5.7	6.1	6.5	6.9	7.4	7.8	8.3
	30	0.3	0.7	1.3	1.8	2.4	2.9	3.5	4.0	4.6	5.2	5.6	6.2	6.8	7.4	8.0	8.4	9.0	9.6	10.2	10.8
	36	0.3	0.8	1.5	2.3	3.0	3.5	4.3	5.0	5.7	6.4	7.0	7.7	8.4	9.1	9.9	10.4	11.1	11.9	12.6	13.3
	42	0.4	1.0	1.8	2.7	3.6	4.2	5.1	5.9	6.8	7.7	8.3	9.1	10.0	10.9	11.7	12.4	13.2	14.1	15.0	15.8
	48	0.5	1.1	2.1	3.1	4.1	4.9	5.9	6.9	7.9	8.9	9.6	10.6	11.6	12.6	13.6	14.3	15.3	16.3	17.3	18.3
	54	0.5	1.3	2.4	3.6	4.7	5.5	6.7	7.8	8.9	10.1	10.9	12.1	13.2	14.3	15.5	16.3	17.4	18.6	19.7	20.8
	60	0.6	1.4	2.7	4.0	5.3	6.2	7.5	8.7	10.0	11.3	12.2	13.5	14.8	16.1	17.3	18.3	19.5	20.8	22.1	23.4
	66	0.7	1.6	3.0	4.4	5.8	6.9	8.3	9.7	11.1	12.5	13.5	15.0	16.4	17.8	19.2	20.2	21.6	23.1	24.5	25.9
	72	0.7	1.7	3.3	4.8	6.4	7.5	9.1	10.6	12.2	13.7	14.9	16.4	18.0	19.5	21.1	22.2	23.7	25.3	26.8	28.4
78	0.8	1.9	3.6	5.3	7.0	8.2	9.9	11.6	13.3	14.9	16.2	17.9	19.6	21.2	22.9	24.2	25.8	27.5	29.2	30.9	
84	0.8	2.1	3.9	5.7	7.5	8.9	10.7	12.5	14.3	16.2	17.5	19.3	21.1	23.0	24.8	26.1	27.9	29.8	31.6	33.4	
90	0.9	2.2	4.2	6.1	8.1	9.5	11.5	13.5	15.4	17.4	18.8	20.8	22.7	24.7	26.7	28.1	30.0	32.0	34.0	35.9	
96	1.0	2.4	4.5	6.6	8.7	10.2	12.3	14.4	16.5	18.6	20.1	22.2	24.3	26.4	28.5	30.1	32.2	34.3	36.4	38.5	
102	1.0	2.5	4.8	7.0	9.2	10.9	13.1	15.3	17.6	19.8	21.4	23.7	25.9	28.2	30.4	32.0	34.3	36.5	38.7	41.0	
108	1.1	2.7	5.1	7.4	9.8	11.5	13.9	16.3	18.7	21.0	22.8	25.1	27.5	29.9	32.3	34.0	36.4	38.7	41.1	43.5	
114	1.2	2.8	5.3	7.9	10.4	12.2	14.7	17.2	19.7	22.2	24.1	26.6	29.1	31.6	34.1	35.9	38.5	41.0	43.5	46.0	
120	1.2	3.0	5.6	8.3	10.9	12.9	15.5	18.2	20.8	23.5	25.4	28.0	30.7	33.3	36.0	37.9	40.6	43.2	45.9	48.5	


### Water Penetration

AMCA defines the beginning point of water penetration as the free area velocity at the intersection of a simple linear regression of test data and the line of 0.01 ounces of water per square foot of free area measured through a 48" x 48" louver during a 15 minute period. The AMCA water penetration test provides a method for comparing louver models and designs as to their efficiency in resisting the penetration of rainfall under specific lab conditions. We recommend that intake louvers are selected with a reasonable margin of safety below the beginning point of water penetration in order to avoid unwanted penetration during severe storm conditions.

**Beginning Point of Water Penetration = 1,250 fpm**



### Pressure Loss



Louver Test Size = 48" x 48" (1219 x 1219)  
Pressure loss tested in accordance with Figure 5.5 of AMCA Standard 500-L. Data corrected to standard air density.

# PERFORMANCE

## ECV-445

Extruded Aluminum Louver  
4" deep • 45° Vertical Blade

### Wind Driven Rain Performance - AMCA 500L Wind-Driven Rain Test

Wind Velocity	Rainfall	Airflow cfm (m <sup>3</sup> /s)	Core Velocity <sup>1</sup> fpm (m/s)	Free Area Velocity <sup>2</sup> fpm (m/s)	Effectiveness Ratio	Wind-Driven Rain Penetration Class
29 mph	3 in/hr	7,343 (3.5)	682 (3.5)	1,569 (8.0)	99.5%	A
50 mph	8 in/hr	4,350 (2.1)	404 (2.1)	929 (4.7)	99.4%	A

**NOTE:**


1. Core area is the open area of the louver face (face area less louver frame). Core velocity is the airflow divided by core area. Test louver core area is 10.77 ft<sup>2</sup> (1 m<sup>2</sup>).

2. Free area velocity is the airflow divided by free area. Test louver free area is 4.7 ft<sup>2</sup> (0.43 m<sup>2</sup>).

**Wind Driven Rain**



Class	Effectiveness
A	99% and above
B	95% to 98.9%
C	80% to 94.9%
D	below 80%

## Attributes



**Vertical Section**


†Screen adds approximately 3/16" (5) to louver depth




# Supplemental Options

# ECV-445


Extruded Aluminum Louver  
4" deep • 45° Vertical Blade




**Blank-Off Options**  
Non-Insulated and Gasketed  
1" Insulated (4.25 R-value)  
2" Insulated (8.75 R-value)




**Filter Rack**




**Glazing Frame**



**Flashing Options**  
Head and Sill Available



**Hinge and Subframe**  
Right or Left Side Option Available



**Stucco Flange**