Page 1

STANDARD MATERIALS AND CONSTRUCTION

FRAME: .125" thick (nominal) extruded aluminum, 6063-T52/T6 alloy.

Welded construction.

BLADE: .081" thick (nominal) extruded aluminum, 6063-T52/T6 alloy,

mechanical fastening construction. Blades approximately 4" on centers.

LOUVER FACE: Full width sill with head and blades contained within jambs.

SCREEN: (When indicated, in a removable frame.)

1/2" flattened aluminum (.051" thick),

½" sq. mesh, intermediate double-crimped aluminum wire, -or-

¹⁸/₁₆ mesh, .011" dia. aluminum wire, insect screen. -or-

FINISH: Mill

TEST METHODS

Miami-Dade County Florida Test Protocols:

- TAS (PA) 201
- TAS (PA) 202
- TAS (PA) 203

OPTIONS

Finish - Baked Enamel, Kynar, Anodize

Extended Sill Flashing - available with Mill, Painted, or Anodized finishes.


- 1. $\frac{1}{2}$ " nominal deduction will be made to the opening size given.
- 2. Panels over 48" wide will have a 2" x 2" x ½" vertical interior blade support angle at approximate center of panels.
- 3. Approximate shipping weight is 6.0 lbs./sq.ft.

LOUVER SIZES


Min Panel	Max Single Panel				
12"W x 12"H	96"W x 96"H				

Windload requirements may limit panel sizes.

This louver has been tested to **AMCA Standard 540 for Wind Borne Debris** Impact Resistance. See Page 2 for seal and listing information.




Standard Vertical Mullion




Standard Horizontal Mullion






Not to scale.



Optional Flange Frame (Jamb shown)



Optional Extended Sill

Thom #	Otr.	Width	Height	Width	Height	Mullion	Type	Location		000
Item #	Qty	Opening Size		Louver Size		Mullion	Screens			<u>Union Made</u>
Arch. /	Arch. / Eng. :					EDR:		ECN:	Job:	
Contr	Contractor:									
Pr	oject:					Date:		DWN:	DWG:	



Visit our Miami-Dade Listing Page for the latest NOA information:


PERFORMANCE DATA

Pressure Drop: .14 in. w.g. at 1000 fpm (intake)

Free Area: 9.24 sq.ft. (0.858 sq.m.) = 58% for 48"W x 48"H sample tested in accordance with AMCA Standard 500-L.


Beginning Point of Water Penetration: Above 1250 fpm (11,550 cfm)

Ratings do not include effects of a screen.



Velocity (fpm) x 100 thru Free Area
Intake air converted to standard air density.
Tested to AMCA Standard 500-L, Figure 5.5.

* AMCA Standard 500 limits testing of Water Penetration to either a maximum velocity of 1250 FPM or 2.5 ounces of water per square foot of louver Free Area.



Velocity (fpm) thru Free Area

* The Beginning Point of Water Penetration is above 1250 FPM
through the Face Free Area of the louver.

Free Area (sq.ft.)

		Width in. (mm)									
		12" (305)	24" (610)	36" (914)	48" (1219)	60" (1524)	72" (1829)	84" (2134)	96" (2438)		
Height in. (mm)	12" (305)	0.18 (0.016)	0.43 (0.039)	0.69 (0.064)	0.94 (0.087)	1.16 (0.107)	1.42 (0.131)	1.67 (0.155)	1.93 (0.179)		
	24" (610)	0.69 (0.064)	1.70 (0.157)	2.70 (0.250)	3.71 (0.344)	4.59 (0.426)	5.59 (0.519)	6.60 (0.613)	7.60 (0.706)		
	36" (914)	1.21 (0.112)	2.96 (0.274)	4.72 (0.438)	6.47 (0.601)	8.01 (0.744)	9.76 (0.906)	11.52 (1.070)	13.27 (1.232)		
	48" (1219)	1.72 (0.159)	4.23 (0.392)	6.73 (0.625)	9.24 (0.858)	11.43 (1.061)	13.93 (1.294)	16.44 (1.527)	18.94 (1.759)		
	60" (1524)	2.24 (0.208)	5.49 (0.510)	8.75 (0.812)	12.00 (1.114)	14.85 (1.379)	18.11 (1.682)	21.36 (1.984)	24.62 (2.287)		
	72" (1829)	2.75 (0.255)	6.76 (0.628)	10.72 (0.995)	14.77 (1.372)	18.27 (1.739)	22.28 (2.069)	26.28 (2.441)	30.29 (2.814)		
	84" (2134)	3.72 (0.303)	8.02 (0.745)	12.78 (1.187)	17.53 (1.628)	21.69 (2.015)	26.45 (2.457)	31.20 (2.898)	35.96 (3.340)		
	96" (2438)	3.78 (0.351)	9.29 (0.863)	14.79 (1.374)	20.30 (1.885)	25.12 (2.333)	30.62 (2.844)	36.13 (3.356)	41.63 (3.867)		



Air Balance certifies that the Model A320 shown herein is licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings Seal applies to Water Penetration and Air Performance Ratings only.

Page 2



Air Balance certifies that the Model A320 shown herein is approved to bear the AMCA Listing Label. The ratings shown are based on tests and procedures performed in accordance with AMCA Publications and comply with the requirements of the AMCA Listing Label Program.

The AMCA Listing Label applies to Wind Borne Debris Impact Resistant Louvers.





Visit our Miami-Dade Listing Page for the latest NOA information:


Page 3


STANDARD BOXED FRAME MODEL A320

INSTALLATION INSTRUCTIONS









NOTES

- 1. Mounting clip angles and mullion support angles can be installed with "legs in" or "legs out" for any approved substrate.
- 2. "Legs out" is the standard construction, "legs in" is optional.
- 3. Use shims to obtain uniform clearance between the louver and the louver opening on all sides. Shims are by others.
- 4. Shims under sill pans must allow enough space to insert "leg in" option into the opening.

Page 4

FLANGED FRAME MODEL A320 **INSTALLATION INSTRUCTIONS** Southern Pine Substrate Mounting clip Steel Substrate angle (leg in). Backer rod & caulk Backer rod & 3 sides (by others). caulk 3 sides (by others). 1/2" Max 1/2" Max. 1/2" Max. (Typ.) (Typ.) 1/4" Max 1/4" Max. 1/4" Max Mullion support angle (leg in). Steel Substrate Mullion support angle (leg out). Mounting clip Mounting clip angle (leg out). angle (leg in). Mounting clip angle (leg out). Max Southern Pine Substrate Do not Do not caulk gap. caulk gap. 1/4" Max. ¹¼" Max Mounting clip angle (leg in). See Note 5. See Note 5. Concrete Substrate Concrete Substrate Flanged Sleeve Frame Flanged Sleeve Frame with Steel and Concrete with Southern Pine and 1/2" Max. **Substrates** Concrete Substrates Concrete Substrate


NOTES


- 1. Mounting clip angles and mullion support angles can be installed with "legs in" or "legs out" for any approved substrate.
- 2. "Legs out" is the standard construction, "legs in" is optional.
- 3. The flanged sleeve can be used with any approved substrate.
- 4. Use shims to obtain uniform clearance between the louver and the louver opening on all sides. Shims are by others.
- 5. Sealant/caulk between flanged angle sleeve and substrate (typ. 4 sides) by installer.
- 6. Two mounting angles run the full height and length of louver.




TAS-100 APPROVED FLANGED FRAME MODEL A320 WITH DAMPER

INSTALLATION INSTRUCTIONS






Steel Substrate



Southern Pine Substrate



NOTES

- 1. Mounting clip angles and mullion support angles can be installed with "legs in" or "legs out" for any approved substrate.
- 2. The flanged sleeve can be used with any approved substrate.
- 3. Use shims to obtain uniform clearance between the louver and the louver opening on all sides. Shims are by others.
- 4. Sealant/caulk between flanged angle sleeve and substrate (typ. 4 sides) by installer.
- 5. Two mounting angles run the full height and length of louver.

