

21925 Industrial Blvd. Rogers, MN 55374 866-260-4047 www.americlad.com

AC-95SCV STATIONARY WIND DRIVEN RAIN RESISTANT LOUVER

CHANNEL FRAME

STANDARD CONSTRUCTION FRAME

• 5" deep, 6063-T5 extruded aluminum with a .081" nominal wall thickness

BLADES

- 6063-T5 extruded aluminum with a .081" nominal wall thickness
- Double drainable, sight-proof blades spaced on approximately 2" centers

SCREEN

- 0.75" x .051" thick, aluminum flattened expanded metal bird screen in a removable frame
- Screen will add approximately 0.5" to the overall louver depth

FINISH

Mill Finish

MINIMUM LOUVER SIZE

• 12" wide x 12" high


MAXIMUM LOUVER SIZE


- 70 square feet per section
- Single section size not to exceed 120" wide x 84" high or 84" wide x 120" high
- Louvers exceeding the maximum single section size will be built in multiple sections and require field assembly

BLADE BRACE SUPPORT ANGLES

 Depending on louver size, wind load, or other special requirements, louvers will have rear mounted blade support angles that will increase overall louver depth

Note: Louvers built .25" smaller than opening size given





STANDARD FEATURES

- Aluminum construction, providing a high resistance to corrosion
 - 43% Free Area (based on a 48" x 48" unit)
- Tested in accordance with AMCA 500-L Laboratory Methods of testing Wind-Driven Rain Performance
- Published performance ratings data based on testing in accordance with AMCA Publication 511

OPTIONS AVAILABLE

Many optional accessories to the basic design are available at an additional cost, including:

- Sill extension/head flashina
- Hinged frame/channel subframe
- Security bars
- Filter rack
- Bird/insect screens (please refer to screen submittal)
- Blank-off panels (standard or insulated)

FINISHES

- Kynar 500/Hylar 5000
- Baked Enamel
- Prime Coat
- Anodized in various colors and shades (some color variation is possible with anodized finishes)


Contact Quality Metalcrafts, LLC / AMERICLAD® for any additional information or any special requirements

INNOVATING WITH METAL



21925 Industrial Blvd. Rogers, MN 55374 866-260-4047 www.americlad.com

AC-95SCV PERFORMANCE DATA SHEET





Quality Metalcrafts, LLC certifies that the louver shown herein is licensed to bear the AMCA seal. Ratings shown are based on tests and procedures performed in accordance with AMCA Publication 511 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings seal applies to air performance and wind-driven rain ratings only.

WIND-DRIVEN RAIN PERFORMANCE

Test size is 39.375" x 39.375" Core Area

Wind Velocity	Rain Fall Rate	Core Velocity	Airflow	Free Area Velocity	Effectiveness	Class
(mph)	(in./hr.)	fpm	cfm	fpm	Ratio	
29	3	779	8389	1691	100	Α
29	3	865	9310	1877	99.9	Α
29	3	993	10692	2156	98.2	В
50	8	568	6113	1232	99.3	A
50	8	776	8351	1684	95.9	В

Discharge Loss Coefficient Classifications					
Class	Discharge Loss Coefficient				
1	0.4 and Above				
2	0.3 to 0.399				
3	0.2 to 0.299				
4	0.199 and Below				

Wind-Driven Rain				
Penetration Classes				
Class	Effectiveness			
Α	1 to 0.99			
В	0.989 to 0.95			
С	0.949 to 0.80			
D	Below 0.80			

AC-95SC FREE AREA CHART

Free area chart shows square feet of free area of various louver sizes
Free Area AMCA Licensed for openings up to 84" x 120"

H/W	12	24	36	48	60	72	84	96	108	120
12	0.17	0.43	0.69	0.95	1.21	1.46	1.72	1.98	2.24	2.50
24	0.53	1.33	2.13	2.92	3.72	4.52	5.32	6.11	6.91	7.71
36	0.89	2.23	3.56	4.90	6.24	7.57	8.91	10.24	11.58	12.92
48	1.25	3.13	5.00	6.88	8.75	10.63	12.50	14.38	16.25	18.13
60	1.61	4.02	6.44	8.85	11.27	13.68	16.10	18.51	20.92	23.34
72	1.97	4.92	7.88	10.83	13.78	16.74	19.69	22.64	25.60	28.55
84	2.33	5.82	9.31	12.80	16.30	19.79	23.28	26.77	30.27	33.76
96	2.69	6.72	10.75	14.78	18.81	22.84	26.88	30.91	34.94	38.97
108	3.05	7.62	12.19	16.76	21.33	25.90	30.47	35.04	39.61	44.18
120	3.41	8.52	13.62	18.73	23.84	28.95	34.06	39.17	44.28	49.39

AC-95SCV December 2017