



The New York Blower Company certifies that the Single-Width PLR Fans shown are licensed to bear the AMCA seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and comply with the requirements of the AMCA Certified Ratings Program.



**THE NEW YORK BLOWER COMPANY**  
7660 Quincy Street  
Willowbrook, IL 60527-5530


Visit us on the Web: <http://www.nyb.com>  
Phone: (800) 208-7918 Email: [nyb@nyb.com](mailto:nyb@nyb.com)

Size 22 NWPLR Fan

Density: .075 lbm/ft<sup>3</sup>


CS-99913P

December, 2018




Size 24 NWPLR Fan

Density: .075 lbm/ft<sup>3</sup>




Performance certified is installation Type B: Free inlet, Ducted outlet. Power rating (BHP) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

Size 27 NWPLR Fan      Density: .075 lbm/ft<sup>3</sup>




Size 30 NWPLR Fan      Density: .075 lbm/ft<sup>3</sup>



Performance certified is installation Type B: Free inlet, Ducted outlet. Power rating (BHP) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

**Size 36 NWPLR Fan      Density: .075 lbm/ft3**



**Size 40 NWPLR Fan      Density: .075 lbm/ft3**

