

AXIAL FLOW FAN DIRECT DRIVEN

Series TDA



Construction

Double flanged casing is produced in mild steel or galvanized steel, available in short and long cased. The impeller having manually adjustable pitch blade is made of PPG, PAG or pressure-casted Aluminium.

Finish

Painting or galvanisation after manufacture is normal finishes on all parts.

Operation Temperature

-20°C to +55°C

Motors

Totally enclosed Class'F' motors to a min. IP54 protection are fitted as standard. Standard motors up to 2.2kW are usually supplied on DOL starting, motors 3.0kW and above are star/ delta starting.

Impeller

The blades are made of Pressure-casted Aluminium, PPG or PAG. The pitch angle can be adjusted manually.


Airflow Direction

Air flow from impeller to motor (B) are fitted as standard. Air flow from motor to impeller (A) can be supplied upon request.





Kruger Ventilation Industries (Vietnam) Co., Ltd. certifies that the TDA 400 shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.

MODEL: TDA-__400/9AA/8-8/___/___-___/___




*All Dimension in mm



TDA400 / 9AA / 8-8 / _ _ / _

1450 rpm - 50 Hz

KRUGER




- Performance certified is for installation type D - ducted inlet, ducted outlet. Performance ratings do not include the effects of appurtenances (accessories).

- The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Values shown are for inlet L_{wi}(A) sound power levels for installation type D - ducted inlet, ducted outlet. Ratings include the effects of duct end correction.

TDA400 / 9AA / 8-8 / _ _ / _

950 rpm - 50 Hz

KRUGER




- Performance certified is for installation type D - ducted inlet, ducted outlet. Performance ratings do not include the effects of appurtenances (accessories).

- The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Values shown are for inlet Lwi(A) sound power levels for installation type D - ducted inlet, ducted outlet. Ratings include the effects of duct end correction.

TDA400 / 9AA / 8-8 / _ _ / _

1750 rpm - 60 Hz

KRUGER




- Performance certified is for installation type D - ducted inlet, ducted outlet. Performance ratings do not include the effects of appurtenances (accessories).

- The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Values shown are for inlet Lwi(A) sound power levels for installation type D - ducted inlet, ducted outlet. Ratings include the effects of duct end correction.

TDA400 / 9AA / 8-8 / _ _ / _

1150 rpm - 60 Hz

KRUGER



- Performance certified is for installation type D - ducted inlet, ducted outlet. Performance ratings do not include the effects of appurtenances (accessories).

- The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Values shown are for inlet Lwi(A) sound power levels for installation type D - ducted inlet, ducted outlet. Ratings include the effects of duct end correction.

KRUGER GROUP (VENTILATION)

• THAILAND (Regional HQ)

KRUGER VENTILATION INDUSTRIES ASIA CO. LTD.

30/159 Moo 1, Sinsakorn Industrial Estate,
Chetsadawithi Road, Khok Kham Mueng, Samuthsakorn 74000, Thailand
Tel. + 662 1054298 - Fax + 662 0248256-9
Website: www.krugerfan.com

• CHINA (GUANGZHOU)

GUANGZHOU KRUGER VENTILATION CO. LTD

No. 9 Huahui Road, Huashan, Huadu,
Guangzhou, P.R. China 510880
Tel. + 86 20-66356635 - Fax + 86 20-86786001/86786500
Email: kgv@krugerfan.com.cn

• CHINA (WUHAN)

WUHAN KRUGER VENTILATION CO. LTD

No. 805, Huian Ave, Dongxihu District, Wuhan, Hubei, P.R. China 430000
Tel. + 86 27- 83248840
Fax + 86 27- 83261886
Email: kwv@krugerfan.com.cn

• INDIA

KRUGER VENTILATION INDUSTRIES (INDIA) PVT LTD

Kruger Centre, Mumbai-Nasik Highway,
Kalamgaon, Shahapur, Thane 421601, Maharashtra, India
Tel. + 91 9960558899/9975577211 - Fax + 91 2527 240075
Email: sales@krugerindia.com

• KOREA

NEOMATE CO. LTD

2-1010, Ace High Tech City B/D, 775 Gyeongin-ro,
Yeongdeungpo-gu, Seoul, Korea. Postal Code 07299
Tel. + 82-2-2679-2052 - Fax. + 82-2-2679-2174
Email: y7890@neomate.co.kr

• PHILIPPINES

KRUGER M&E INDUSTRIES CORPORATION

B3 Welborne Industria Park, Bancal,
Carmona, Cavite, Philippines 4116
Tel. +63 917 561 9088, +63 917 596 7288,
+63 917 712 84348, +63 917 306 8288
Email: mktg@krugerpht.net

• TAIPEI

KRUGER VENTILATION (TAIWAN) CO. LTD

No. 157, Ping-an Rd, Hengfeng Village,
Dayuan Shiang Taoyuan County 337, Taiwan
Tel. + 886 3-3859119 - Fax + 886 3-3859118
Email: sales@krugertwn.com.tw

• AUSTRALIA

S&P-KRUGER AUSTRALIA PTY LTD

2 Cunningham St, Moorebank N.S.W. 2170
Tel. + 61 2-98227747
Fax. + 61 2-98227757
Email: info@sandpkruger.com.au

• CHINA (SHANGHAI)

SHANGHAI KRUGER VENTILATION CO. LTD

No. 500 Yuanguo Road, Anting, Jiading,
Shanghai 201814 P.R. China
Tel. + 86 21-69573266 - Fax + 86 21-69573296
Email: ksh@krugerfan.com.cn

• HONG KONG

KRUGER VENTILATION (HONG KONG) LIMITED

Flat C, 9/F, Yeung Yiu Chung (No.8) Industrial Building,
20 Wang Hoi Road, Kowloon Bay, Kowloon, Hong Kong
Tel. + 852 22469182 - Fax + 852 22469187
Email: info@kruger.com.hk

• INDONESIA

P.T. KRUGER VENTILATION INDONESIA

JL. Teuku Umar No.20, RT, 001/RW. 001.
Karawaci - Tangerang 15115, Indonesia
Tel. +62 21-5512288/5513557/5513576/5514353
Fax. +62 21-5513502
Email: mktg@krugerindo.co.id

• MALAYSIA

KRUVENT INDUSTRIES (M) SDN BHD

Lot 850, Jalan Subang 7, Taman Perindustrian Subang,
47500, Subang Jaya, Selangor D.E.
Tel. + 603 80743399 - Fax + 603 80743388
Email: mktg@kruger.com.my

• SINGAPORE

KRUGER ENGINEERING PTE LTD

2 Venture Drive #20-23, Vision Exchange,
Singapore 608526.
Tel. + 65 68631191 - Fax + 65 68631151
Email: mktg@krugerfan.com

• VIETNAM

KRUGER VENTILATION INDUSTRIES (VIETNAM) CO. LTD

Lot A7. 2-4, C2 Road, Thanh Thanh Cong IZ,
Trang Bang Dist. Tay Ninh Province, Vietnam
Tel. + 84-276 3585200/01/02 - Fax + 84-276 3585199
Email: mktg@krugervn.com

The company is always improving and developing its products, therefore the company reserves the right of making changes to the illustrated products.
Certified dimension can be provided upon request.