

AF-450/186/6/45

机翼型轴流风机





Shanghai Walker General Equipment Co. Ltd certifies that the AF-450/186/6/45 Axial Fan shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.



Walker Company

叶轮直径 Wheel Diameter – 450 mm
 最大转速 Max RPM – 2900 RPM
 最大风量 Max Volume – 15932m³ / h
 最大静压 Max SP – 1132 Pa
 运输体积 Transport volume – 0.33m³



NO	转速	静压	风量	静压	八段倍频								声功率级	声压级@1.5m
	RPM	Pa	CMH	in.Wg	1	2	3	4	5	6	7	8	LwA	LpA(dBA)
1	720	0	3956	0.000	77	72	64	62	63	62	57	50	68	56
		30	2101	0.120	82	75	68	63	64	62	57	51	69	57
		32	2997	0.129	79	73	64	62	63	62	57	51	68	56
		70	0	0.280	82	74	69	66	65	62	57	51	70	58
2	1065	0	5851	0.000	86	85	76	71	71	72	68	62	78	66
		65	3107	0.262	93	87	80	73	72	73	69	63	80	68
		70	4433	0.282	83	87	76	70	71	72	68	63	78	66
		153	0	0.613	94	86	80	75	74	73	69	63	80	68
3	1410	0	7746	0.000	92	92	86	79	77	77	76	71	85	73
		114	4114	0.459	99	96	89	82	78	78	77	71	87	75
		123	5869	0.494	90	93	87	78	76	78	76	71	85	73
		267	0	1.075	101	96	89	84	80	79	77	72	88	76
4	1755	0	9642	0.000	97	97	94	85	82	82	82	77	91	79
		177	5121	0.712	104	103	96	89	82	83	83	78	93	81
		190	7305	0.765	94	98	96	84	81	82	82	78	92	80
		414	0	1.665	105	104	95	90	85	84	83	78	94	82
5	2100	0	11537	0.000	101	101	99	90	86	86	87	83	96	84
		254	6127	1.019	108	108	102	95	87	86	87	83	98	86
		273	8741	1.096	98	98	102	90	85	85	87	83	96	84
		593	0	2.384	109	109	100	95	90	88	88	84	99	87
6	2445	0	13432	0.000	104	104	103	96	90	89	90	87	99	87
		344	7134	1.381	111	111	107	100	92	90	90	88	103	91
		370	10177	1.485	101	101	105	97	89	88	90	87	100	88
		804	0	3.231	112	112	106	99	94	92	91	88	103	91
7	2675	0	14696	0.000	106	106	105	99	92	91	91	90	102	90
		412	7805	1.653	113	113	110	103	95	92	92	90	105	93
		443	11135	1.778	103	103	107	100	92	90	92	90	103	91
		963	0	3.868	114	114	109	102	97	94	93	90	106	94
8	2900	0	15932	0.000	108	108	107	102	94	93	93	92	104	92
		484	8461	1.943	115	115	112	105	98	93	94	93	108	96
		520	12071	2.090	105	105	109	103	94	92	93	92	105	93
		1132	0	4.546	116	116	112	104	99	96	95	93	108	96

Performance certified is for installation type D – ducted inlet, ducted outlet. Performance ratings do not include the effects of appurtenances (accessories). Values shown are for inlet Lwi and LwA sound power levels for Installation Type D: ducted inlet, ducted outlet. Ratings include the effects of duct end correction. The sound power level ratings shown are in decibels, referred to 10-12 watts, calculated per AMCA International Standard 301. The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Sound pressure level LpA (dBA) are not licensed by AMCA International.



Walker Company

中国 上海

更多详情请登录网站

www.walker-fan.com

