


CBF-355

后倾离心风机箱





Shanghai Walker General Equipment Co. Ltd certifies that the CBF-355 Centrifugal Fan shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and AMCA Publication 311 and comply with the requirements of the AMCA Certified Ratings Program.



Walker Company

叶轮直径 Wheel Diameter – 359 mm
 最大转速 Max RPM – 2200 RPM
 最大风量 Max Volume – 12015 m³/h
 最大静压 Max SP – 1020 Pa
 运输体积 Transport volume – 1.48 m³



NO	转速	静压	风量	静压	八段倍频								声功率级	声压级@1.5m
	RPM	Pa	CMH	in.Wg	1	2	3	4	5	6	7	8	LwA	LpA(dBA)
1	1200	0	6554	0.000	85	83	80	74	72	69	65	61	78	66
		80	5855	0.320	84	81	78	72	70	66	62	59	76	64
		193	4488	0.775	80	78	75	69	66	62	59	59	72	60
		303	3035	1.219	78	75	72	65	62	58	57	60	69	57
2	1360	0	7428	0.000	87	86	82	77	75	73	69	65	81	69
		102	6635	0.411	87	85	81	75	73	70	65	62	79	67
		248	5086	0.996	83	82	78	72	69	66	62	61	75	63
		390	3440	1.565	81	79	74	68	65	62	60	62	72	60
3	1520	0	8301	0.000	90	90	85	80	78	76	72	68	84	72
		128	7416	0.513	89	89	83	78	76	73	68	65	82	70
		310	5684	1.244	85	85	80	75	72	69	64	64	78	66
		487	3845	1.955	83	82	77	70	68	65	62	64	75	63
4	1675	0	9148	0.000	91	93	87	82	80	78	75	71	86	74
		155	8172	0.623	91	92	85	80	78	75	71	67	84	72
		376	6264	1.511	87	88	82	77	74	72	67	66	81	69
		591	4237	2.374	85	85	79	73	71	67	63	66	77	65
5	1835	0	10022	0.000	93	95	90	85	82	80	77	73	89	77
		186	8953	0.747	93	94	88	82	80	78	73	70	87	75
		451	6862	1.813	89	90	85	80	77	74	69	68	83	71
		709	4642	2.850	87	87	82	75	73	70	66	68	80	68
6	1990	0	10868	0.000	95	96	92	87	84	82	79	75	91	79
		219	9709	0.879	95	95	90	85	82	80	76	72	89	77
		531	7442	2.132	91	91	87	82	79	76	72	70	85	73
		834	5034	3.351	89	89	84	78	75	72	68	69	82	70
7	2095	0	11442	0.000	96	97	94	89	86	84	81	77	92	80
		242	10221	0.974	96	96	92	86	84	81	77	73	90	78
		588	7835	2.363	92	92	89	83	80	77	73	71	87	75
		925	5299	3.714	90	90	86	79	76	73	70	70	83	71
8	2200	0	12015	0.000	97	98	95	93	87	85	82	78	94	82
		267	10733	1.074	97	97	93	91	85	82	79	75	92	80
		649	8227	2.606	93	93	90	88	81	79	75	72	89	77
		1020	5565	4.096	91	91	87	85	77	75	71	71	86	74

Performance certified is for installation type B – free inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories). Values shown are for inlet Lwi and LwiA sound power levels for installation Type B: free inlet, ducted outlet. The sound power level ratings shown are in decibels, referred to 10-12 watts, calculated per AMCA International Standard 301. The A-weighted sound ratings shown have been calculated per AMCA International Standard 301. Sound pressure level LpA (dBA) are not licensed by AMCA International.



Walker Company

中国 上海

更多详情请登录网站

www.walker-fan.com



CBF-355, March 2022