

Kiturmai Bumyang

DESIGN 47 SERIES

Variable Air Volume Vane Axial Fan
Adjustable Pitch & Controllable pitch



Product line

Size	Model Number	Size	Model Number
16.375	1650A	36.375	3650A, 3650B, 3650C
18.125	1825A	40.0625	4025B, 4025LB, 4025C
19.875	2000A	44.3125	4450B, 4450LB, 4450C
22.125	2225A	48.8125	4900B, 4900LB, 4900C
24.375	2450A, 2450B	54.0625	5425B, 5425LB, 5425C
26.875	2700A, 2700B	59.75	6000C
29.875	3000A, 3000B	66.25	6650C
32.875	3300A, 3300B	72.75	7300C
		80.8125	8112C



Kiturami Bumyang D47 VAV-Series

Variable Air Volume Vane Axial Fan with Adjustable Pitch & Controllable pitch

◆ I N D E X ◆

■ 제품 특징	3
■ 제품 외형	4
■ 제품 성능	5 ~ 180

Kiturami Bumyang D47 VAV Series Vane Axial Fan

D47 VAV Series는 신뢰성, 경제성 및 공간 효율성이 뛰어나며 다양한 환경에서 높은 효율을 가지도록 설계되었습니다. 또한 블레이드 각도 조절로 고객이 요구하는 다양한 풍량과 압력 사양에 대응할 수 있습니다.

축류 송풍기는 공력학적 인렛벨과 임펠러 설계를 통한 입구 유동 손실 최소화와 효율 극대화로 높은 성능을 보장합니다. 뿐만 아니라 내식성과 내열성이 높은 설계로 250°C에서 1시간 이상의 제연 성능과 높은 내구성을 보장합니다.

D47 VAV Series는 주로 지하철과 터널 시설의 급, 배기 및 환기용으로 다수 현장에서 사용되고 있습니다.

주로 덕트와 직접 연결되거나 공기조화기 내장용으로 사용할 수도 있으며 넓은 사용범위를 가지므로 다양한 현장 조건에 대응할 수 있습니다.

또한 안전망, 점검문, 방진기, 가변 인렛 베인 등 고객이 원하는 다양한 액세서리를 적용하여 납품하는 것도 가능합니다.

D47 VAV Series의 표준 구동 방식은 전동기 직결형인 Arrg't-4 이며 #1650 ~ #8112까지 에어포일 단면 임펠러를 블레이드 6개 혹은 12개로 적용할 수 있으며 기종과 현장 사양에 따라 최대 3개의 허브 타입 적용이 가능합니다.



AMCA Certified Products



(주)귀뚜라미 범양냉방의 D47 VAV Series 송풍기는 AMCA Seal 사용에 대해 라이선스 되었음을 인증합니다.

본 카탈로그의 성능 평가는 AMCA 211 규격과 동일한 성능 시험 및 절차에 의거하였으며, AMCA 인증 평가 프로그램의 요구사항을 준수합니다.

Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal.


The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.



□ AMCA의 권위

- 1) AMCA 인증 프로그램에 합격하면 그 제품은 AMCA가 보증하는 인증품으로, AMCA SEAL을 부착하여 관리 및 판매할 수 있습니다.
- 2) AMCA 규격은 ASHRAE(미국 냉난방공조협회) & ANSI & ISO 규격과 동등한 지위를 가지며 AMCA에서 제정한 표준 규격은 아래 규격에서 동일한 내용으로 제정됩니다.

* AMCA STD. 210 → ASHRAE STD. 51 → ANSI STD. SR5 → ISO R541



DIMENSION(mm)

No.	Model	A	B	C	D	E	F	Weight(kg)
1	1650	419	580	330	1295	432	1283	115
2	1825	464	628	356	1295	457	1283	120
3	2000	508	711	406	1295	572	1283	145
4	2225	565	765	432	1295	622	1283	170
5	2450	622	819	457	1295	635	1283	210
6	2700	686	901	508	1295	711	1283	250
7	3000	762	990	559	1295	787	1283	300
8	3300	838	1079	610	1295	787	1283	400
9	3650	927	1189	660	1295	864	1283	520
10	4025	1022	1314	737	1295	965	1283	540
11	4450	1130	1418	787	1295	1016	1283	570
12	4900	1245	1551	864	1295	1118	1283	620
13	5425	1378	1719	965	1295	1219	1283	650
14	6000	1524	1878	1041	1295	1321	1283	700
15	6650	1689	2038	1118	1295	1473	1283	760
16	7300	1854	2248	1245	1295	1626	1283	820
17	8112	2060	2451	1346	1295	1778	1283	900

*** Note**


- 구조물로 사용하지 마십시오.
- Do not use it as a structure.
- 위 치수는 제품 개선으로 사전 예고없이 변경될 수 있으니 승인 후 적용 바랍니다.
- The above dimensions may be changed without prior notice due to product improvement, so please apply them after approval.
- 위 중량은 Motor 및 액세서리를 제외한 중량이며 근사치임에 유의하시기 바랍니다.
- The above weight is excluding the motor and accessories. And please note this is an approximate value.

D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1650-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1650-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1650-A6-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1825-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1825-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE

1825-A6-3500

RPM

3500

Kiturami Bumpyang

MOTOR
HP

MIN.

A/4 MAX.


3

20

Arrangement

4

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2000-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	2000-A6-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	20			








Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.


Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	2000-A6-3500		RPM	3500	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		5	20			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2225-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2225-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2225-A6-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	20		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	2450-A6-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	10			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2450-A6-3500		RPM	3500	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		5	20			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE

2700-A6-890

RPM

890

Kiturami Bummyang

MOTOR
HP

MIN.

A/4 MAX.


1

7.5

Arrangement

4

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2700-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		


Kiturami Bummyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2700-A6-3500		RPM	3500	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		5	20			








Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.


Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3000-A6-890		RPM	890	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	7.5			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3000-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3000-A6-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1.5	20			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-A6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	7.5		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	20		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	3650-A6-890		RPM	890	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	7.5			






Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-A6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-A6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	20		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2450-B6-1160		RPM	1160	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		2	50			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-B6-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	40		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	50		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	75		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2700-B6-3500		RPM	3500	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		25	75			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3000-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	40		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3000-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	50		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3000-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	75		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	40		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3300-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	75		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	40		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE

4025-B6-890

RPM

890

MOTOR
HP

MIN.

A/4 MAX.

1.5


40

Arrangement

4

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	75		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4450-B6-890		RPM	890	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		2	40			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4450-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4450-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	75		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4450-LB6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	100		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4900-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	40		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4900-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-LB6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	125		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-B6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	40		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-B6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-LB6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	60		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-B6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	75		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-LB6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	150		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	200		


Kiturami Bummyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3650-C6-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		15	250			








Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.


Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3650-C6-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		40	300			








Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	4025-C6-890		RPM	890	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		7.5	200			



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4025-C6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	250		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-C6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	300		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE

4450-C6-890

RPM

890

MOTOR
HP

MIN.

A/4 MAX.

7.5


200

Arrangement

4


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4450-C6-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		20	250			








Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.


Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4450-C6-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		50	300			






Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	200		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4900-C6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	250		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-C6-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	50	300		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	200		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-C6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	250		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	5425-C6-1760		RPM	1760	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		60	300			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE

6000-C6-690

RPM

690

MOTOR
HP

MIN.

A/4 MAX.

7.5


150

Arrangement

4

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	6000-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	200		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	6000-C6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	250		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	6650-C6-690		RPM	690
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	150		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	6650-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	200		


Kiturami Bummyang



Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	6650-C6-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		30	250			






Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	7300-C6-690		RPM	690
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	150		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	7300-C6-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	200		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	7300-C6-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		40	250			






Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	8112-C6-690		RPM	690
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	150		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	8112-C6-890		RPM	890	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		20	200			





Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	8112-C6-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	250		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1650-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1650-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	1650-A12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	20		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	1825-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1825-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	1825-A12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2000-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2000-A12-1760		RPM	1760	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	20			





Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2000-A12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2225-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2225-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	20		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	2225-A12-3500		RPM	3500	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	10			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2450-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	20		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	20		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-A12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	20		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE

2700-A12-890

RPM

890

Kiturami Bumpyang

MOTOR
HP

MIN.

A/4 MAX.


1

7.5

Arrangement

4

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2700-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	20		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	2700-A12-3500		RPM	3500	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		7.5	20			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3000-A12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	7.5		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3000-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	10		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3000-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	20		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-A12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	7.5		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3300-A12-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		1	10			





Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3300-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	20		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-A12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1	7.5		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-A12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	20		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-A12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	20		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2450-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2450-B12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2450-B12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE

2700-B12-890

RPM

890

MOTOR
HP

MIN.

A/4 MAX.

1.5


40

Arrangement

4

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	2700-B12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	2700-B12-3500		RPM	3500
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3000-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	1.5	40		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3000-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	50		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3000-B12-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN. 7.5	A/4 MAX. 75	Arrangement	4	






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3300-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	40		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3300-B12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	2	40		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	50		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3650-B12-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		10	75			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	40		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4025-B12-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		5	50			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-B12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	75		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-LB12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4450-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	3	40		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4450-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	50		

Kiturami BUMYANG

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4450-B12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	75		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4450-LB12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	125		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	40		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4900-B12-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		7.5	50			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-LB12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	7.5	60		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4900-B12-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		25	75			





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4900-LB12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	150		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-B12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	5	40		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	5425-B12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	50		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-LB12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	75		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	5425-B12-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		25	75			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-LB12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	200		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	3650-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	200		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	3650-C12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	250		


Kiturami Bummyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	3650-C12-1760		RPM	1760	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		50	300			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4025-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	10	200		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4025-C12-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		20	250			






Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4025-C12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	60	300		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	4450-C12-890		RPM	890	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		15	200			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4450-C12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	250		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4450-C12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	75	300		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	4900-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	15	200		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	4900-C12-1160		RPM	1160	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		30	250			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	4900-C12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	100	300		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	5425-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	200		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	5425-C12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	250		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	5425-C12-1760		RPM	1760
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	100	300		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	6000-C12-690		RPM	690	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		15	150			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	6000-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	200		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).





D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	6000-C12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	40	250		


Kiturami BUMYANG


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	6650-C12-690		RPM	690	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		15	150			






Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	6650-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	25	200		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	6650-C12-1160		RPM	1160
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	50	250		

Kiturami Bummyang

Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023



Kiturami Bummyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
 Adjustable Pitch
 Controllable Pitch

SIZE	7300-C12-690		RPM	690
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	20	150		

Kiturami Bumpyang

Kiturami R&D Center, 4F, 86,
 Magokjungang-ro,
 Gangseo-gu, Seoul, Korea(07801),
 Effective October 2023



Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
 Performance certified is for installation type B-Free inlet, Ducted outlet.
 Performance ratings do not include the effects of appurtenances (airstream).




D47 VAV
VaneAxial Fan
Adjustable Pitch
Controllable Pitch

SIZE	7300-C12-890		RPM	890
MOTOR HP	MIN.	A/4 MAX.	Arrangement	4
	30	200		


Kiturami Bumpyang


Kiturami R&D Center, 4F, 86,
Magokjungang-ro,
Gangseo-gu, Seoul, Korea(07801),
Effective October 2023




Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	7300-C12-1160		RPM	1160	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		75	250			







Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).





<div>D47 VAV</div> <div>VaneAxial Fan</div> <div>Adjustable Pitch</div> <div>Controllable Pitch</div>	SIZE	8112-C12-890		RPM	890	<div></div> <div>Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023</div>
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		40	200			







Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.
Performance certified is for installation type B-Free inlet, Ducted outlet.
Performance ratings do not include the effects of appurtenances (airstream).



D47 VAV VaneAxial Fan Adjustable Pitch Controllable Pitch	SIZE	8112-C12-1160		RPM	1160	 Kiturami R&D Center, 4F, 86, Magokjungang-ro, Gangseo-gu, Seoul, Korea(07801), Effective October 2023
	MOTOR HP	MIN.	A/4 MAX.	Arrangement	4	
		75	250			





Kiturami Bumpyang Air Conditioning Co., Ltd. certifies that the Design 47 VAV Series fans shown herein are licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA certified ratings program.

Performance certified is for installation type B-Free inlet, Ducted outlet.

Performance ratings do not include the effects of appurtenances (airstream).

