


PERFORMANCE CATALOG

VELOCITY™



BIG ASS FANS®

AUGUST 2026
BIGASSFANS.COM



Big Ass Fans certifies that the model Velocity shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with Section 8.2.1 of AMCA 211-26 and comply with the requirements of the AMCA Certified Ratings Program. The AMCA Certified Ratings Seal applies to air performance ratings only. The AMCA Certified Ratings Seal applies at free delivery only. Performance ratings do not include the effects of appurtenances (accessories).

Fans tested in forward direction of operation.

No part of this document may be reproduced or translated into a different language without the prior written consent of Big Ass Fans. The information contained in this document is subject to change without notice.

www.bigassfans.com/patents | www.bigassfans.com/product-warranties



Diameter: 10 in. (25.4 cm), F-VEL1-1201

120 V, 1 Φ, 60 Hz					
Speed (RPM)		Power (W)	Airflow (CFM)	Standby Power (W)	Circulating Fan Efficiency (CFM/W)
100%	956.5	618	2,125	2	3.44
80%	771.1	329	1,701		5.29
60%	574.6	137	1,259		9.20
40%	383.2	48	781		16.25

Speed (RPM) shown is nominal. Performance is based on actual speed of test.

Diameter: 10 in. (25.4 cm), F-VEL1-1202

240 V, 1 Φ, 60 Hz					
Speed (RPM)		Power (W)	Airflow (CFM)	Standby Power (W)	Circulating Fan Efficiency (CFM/W)
100%	956.4	616	2,098	2	3.44
80%	768.8	320	1,678		5.32
60%	574.7	140	1,247		9.05
40%	383.5	51	830		16.51

Speed (RPM) shown is nominal. Performance is based on actual speed of test.



BIG ASS FANS®

2348 Innovation Drive, Lexington, KY 40511
1 (877) BIG-FANS | WWW.BIGASSFANS.COM

VEL-MISC-172-ENG-01 REV. B