





# **MXA Series**

*AXIAL MIXED FLOW FAN  
HEAVY DUTY*



**MODEL: MXA 1250 / M225C / 6-6 / 25° /**



## Certification



Kruger Ventilation Industries Asia Co., Ltd certifies that the **MXA series** shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA publication 211 and comply with the requirements of the AMCA Certified Ratings Program.






Certified by **TÜV SÜD** which is a leading international service organization focusing on consulting, testing, certification and training.

**MXA series** was tested in accordance with EN 12101-3:2002 F250, F300, F400."

Class	Temperature (°C)	Minimum functioning period (minutes)
F200	200	120
<b>F300</b>	<b>300</b>	<b>60</b>
<b>F400</b>	<b>400</b>	<b>120</b>
F600	600	60
F842	842	842
<b>Others</b>	<b>250</b>	<b>120</b>

# MXA 1250/M225C/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/6-6



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/8-8

## 950 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1400/M250C/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/12-12



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/12-12



## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/12-12

## 950 rpm -50Hz





- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA1600/M280C/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/6-6




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/8-8




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/12-12




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315C/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/6-6

## 725 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355C/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/8-8




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/12-12



## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/12-12

## 1450 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1400/M250D/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/8-8



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/8-8



## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/6-6



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/6-6

## 1450 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1600/M280D/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/6-6




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/8-8




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/8-8

## 950 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315D/12-12




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/6-6



## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/8-8




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/8-8



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/12-12




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/12-12

## 950 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1250/M225E/6-6




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/8-8



## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/6-6


## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/12-12

## 950 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1400/M250E/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/6-6



## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/8-8




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/12-12




## 1450 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/6-6

## 725 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315E/6-6




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/8-8




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA1800/M315E/8-8




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/12-12




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/6-6




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/6-6



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/8-8

## 725 rpm -50Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355E/8-8



## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/12-12




## 725 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/12-12




## 950 rpm -50Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/6-6



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225C/12-12

## 1150 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1250/M225C/12-12


## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250C/12-12




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/6-6

## 875 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1600/M280C/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/6-6



## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/12-12




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280C/12-12

## 1750 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315C/6-6




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/8-8




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/8-8



## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/12-12




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315C/12-12

## 875 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315C/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/6-6




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/8-8




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/12-12

## 700 rpm -60Hz





- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355C/12-12




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355C/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/8-8



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225D/12-12

## 1750 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1400/M250D/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250D/12-12




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/6-6

## 1150 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1600/M280D/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/8-8



## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/12-12




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280D/12-12




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/6-6

## 700 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315D/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/8-8




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/12-12




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/12-12



## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315D/12-12

## 1150 rpm -60Hz





- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355D/6-6




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/8-8




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/12-12




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355D/12-12

## 875 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355D/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/6-6




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/8-8



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1250/M225E/12-12


## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/6-6

## 1150 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1400/M250E/6-6



## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/8-8



## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1400/M250E/12-12


## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/6-6




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/6-6

## 1750 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1600/M280E/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/8-8




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/8-8




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/12-12




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1600/M280E/12-12




## 1750 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/6-6




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/6-6

## 875 rpm -60Hz





- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 1800/M315E/6-6




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/8-8




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/8-8



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/12-12




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/12-12




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 1800/M315E/12-12




## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/6-6

## 700 rpm -60Hz






- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# MXA 2000/M355E/6-6



## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/6-6



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/8-8



## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/8-8




## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/8-8



## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/12-12




## 700 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/12-12



## 875 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).

# MXA 2000/M355E/12-12

## 1150 rpm -60Hz



- Performance certified is for installation type D - ducted inlet, ducted outlet. Power rating (kW) does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories-belt cover, pulley & belt).



# KRUGER GROUP (VENTILATION)

## ● THAILAND (Regional HQ)

### KRUGER VENTILATION INDUSTRIES ASIA CO. LTD.

30/159 Moo 1, Sinsakorn Industrial Estate,  
Chetsadawithi Road, Khok Kham Mueng, Samuthsakorn 74000, Thailand  
Tel. +662 1054289 - Fax +662 1050373  
Website: www.krugerfan.com

## ● CHINA (BEIJING)

### BEIJING KRUGER VENTILATION CO. LTD

Level 7, A Block, Rising International Building, 29 JingHai San Road, BDA,  
Beijing, P.R.China 100176  
Tel. +86 10-67881366 - Fax +86 10-67880566  
Email: krugertj@krugertj.com

## ● CHINA (SHANGHAI)

### SHANGHAI KRUGER VENTILATION CO. LTD

No. 500 Yuanguo Road, Anting, Jiading,  
Shanghai 201814 P.R. China  
Tel. +86 21-69573266 - Fax +86 21-69573296  
Email: shkruiger@krugerchina.com

## ● CHINA (WUHAN)

### WUHAN KRUGER VENTILATION CO. LTD

No. 805, Huian Ave, Dongxihu District, Wuhan, Hubei, P.R. China 430000  
Tel. +86 27- 83248840/83060522/83097505  
Fax +86 27- 83261886  
Email: whkruger@krugerwh.com

## ● HONG KONG

### KRUGER VENTILATION (HONG KONG) LIMITED

Flat C, 9/F, Yeung Yiu Chung (No.8) Industrial Building,  
20 Wang Hoi Road, Kowloon Bay, Kowloon, Hong Kong  
Tel. +852 22469182 - Fax +852 22469187  
Email: info@kruger.com.hk

## ● INDIA (NORTH)

### KRUGER VENTILATION INDUSTRIES (NORTH INDIA) PVT LTD

Plot No. - 191, Sector - 59, Ballabgarh, Faridabad - 121 004, Haryana, India  
Tel. +91-9958991660/9717449696  
Fax. +91-1294135820  
Email: sales.kni@krugerindia.com

## ● KOREA

### NEOMATE CO. LTD

2-1010, Ace High Tech City B/D, 775 Gyeongin-ro,  
Yeongdeungpo-gu, Seoul, Korea. Postal Code 07299  
Tel. +82-2-2679-2052 - Fax. +82-2-2679-2174  
Email: y7890@neomate.co.kr

## ● MYANMAR

### KRUGER VENTILATION (MYANMAR) CO.LTD

Room No. F21, Thiri Yadanar Whole Sale Market, (Htawunbe)  
Toe Chae Ward, North Okkalapa Township, Yangon.  
Tel. +959 763141081/2/3  
Email: htoon@krugermm.com

## ● SINGAPORE

### KRUGER ENGINEERING PTE LTD

No. 10 Buroh Street #06-06, West Connect Building,  
Singapore 627564  
Tel. +65 68631191 - Fax +65 68631151  
Email: mktg@krugerasia.com

## ● THAILAND

### KRUGER VENTILATION IND. (THAILAND) CO. LTD

30/105 Moo 1, Sinsakorn Industrial Estate,  
Chetsadawithi Road, Khok Kham Mueng, Samuthsakorn 74000, Thailand  
Tel. +662 1050399 - Fax + 662 1050370-2  
Email: mktg@kruger.co.th

## ● AUSTRALIA

### S&P-KRUGER AUSTRALIA PTY LTD

2 Cunningham St, Moorebank N.S.W. 2170  
Tel. +61 2-98227747  
Fax. +61 2-98227757  
Email: info@sandpkruger.com.au

## ● CHINA (GUANGZHOU)

### GUANGZHOU KRUGER VENTILATION CO. LTD

No. 9 Huahui Road, Huashan, Huadu,  
Guangzhou, P.R. China 510880  
Tel. +86 20-66356635 - Fax +86 20-86786001/86786500  
Email: gzkruiger@krugergz.com

## ● CHINA (TIANJIN)

### TIANJIN KRUGER VENTILATION CO. LTD

No.168 Anyuan Road, Jingjin Science and Technology Park  
Wuqing District, Tianjin, China  
Tel. +86 22-22143480/3481 - Fax +86 22-22143482  
Email: krugertj@krugertj.com

## ● DUBAI

### KRUGER VENTILATION INDUSTRIES, GULF BRANCH

Jebel Ali Free Zone Area (JAFZA) P.O. Box No. 262949, Dubai, UAE  
Tel. +971 4 8819188/8832017  
Fax. +971 4 8832018  
Email: johncs@krugerasia.com

## ● INDIA

### KRUGER VENTILATION INDUSTRIES (INDIA) PVT LTD

Kruger Centre, Mumbai-Nasik Highway,  
Kalamgaon, Shahapur, Thane 421601, Maharashtra, India  
Tel. +91 9960558899/9975577211 - Fax +91 2527 240075  
Email: sales@krugerindia.com

## ● INDONESIA

### P.T. KRUGER VENTILATION INDONESIA

JL. Teuku Umar No.20,  
Karawaci - Tangerang 15115, Indonesia  
Tel. +62 21-5512288/5513557 - Fax +62 21-5513502  
Email: mktg@krugerindo.co.id

## ● MALAYSIA

### KRUVENT INDUSTRIES (M) SDN BHD

Lot 850, Jalan Subang 7, Taman Perindustrian Subang,  
47500, Subang Jaya, Selangor D.E.  
Tel. +603 80743399 - Fax +603 80743388  
Email: mktg@kruger.com.my

## ● PHILIPPINES

### KRUGER M&E INDUSTRIES CORPORATION

FAP I Compound, E. Rodriguez Ave.  
Tunasan, Muntinlupa City 1773, Philippines  
Tel. +63 2-8622892/4/6/7, 5534059 - Fax +63 2-8622891  
Email: mktg@krugerph.net

## ● TAIPEI

### KRUGER VENTILATION (TAIWAN) CO. LTD

No. 157, Ping-an Rd, Hengfeng Village,  
Dayuan Shiang Taoyuan County 337, Taiwan  
Tel. +886 3-3859119 - Fax +886 3-3859118  
Email: sales@krugertwn.com.tw

## ● VIETNAM

### KRUGER VENTILATION INDUSTRIES (VIETNAM) CO. LTD

Lot A7. 2-4, C2 Road, Thanh Thanh Cong IZ,  
Trang Bang Dist. Tay Ninh Province, Vietnam  
Tel. +84-276 3585200/01/02 - Fax +84-276 3585199  
Email: mktg@krugervn.com

The company is always improving and developing its products, therefore the company reserves the right of making changes to the illustrated products, Certified dimension can be provided upon request.